

WHAT IS CLAIMED IS:

1. A portable construction material stand, comprising:  
A base portion;  
5 A support portion extending upward from the base portion and attached to the base portion, the support portion including an angled contact surface, wherein when planar construction material is positioned on the base and in contact with the contact surface, the stand maintains the material in a stationary position.  
10
2. The stand of claim 1 wherein the base and support are formed as a unitary member.
3. The stand of claim 1 wherein the base and support snap fit.  
15
4. The stand of claim 1 wherein the base portion comprises a flanged portion.
5. The stand of claim 1 wherein the support portion further  
20 comprises at least one bracket hole.
6. The stand of claim 1 wherein the support portion further comprises padding material.
- 25 7. The stand of claim 6 wherein the padding material is adhesively bonded to the contact surface.

8. The stand of claim 1 wherein the support portion and base portion create an angle of greater than 90 degrees.

5           9. The stand of claim 1 wherein the support portion comprises a top cap.

10           10. The stand of claim 1 wherein the support portion comprises a telescoping support portion.

10

11. A portable construction material stand system comprising:  
A first and second stand each including a base portion and a support portion extending upward from the base portion and attached to the base portion, the support portion including an angled contact surface,  
15 wherein when planar construction material is positioned on the bases of spaced apart stands and in contact with the contact surfaces of the stands, the first and second stands maintain the material in a stationary position.

12. The system of claim 11 wherein the base portion and support  
20 portion of each stand are formed as a unitary member.

13. The system of claim 11 wherein the base portion and support portion snap fit.

25           14. The system of claim 11 wherein the base portion comprises a flanged portion.

15. The system of claim 11 wherein the support portion further comprises at least one bracket hole.

5 16. The system of claim 11 wherein the support portion further comprises padding material.

17. The system of claim 16 wherein the padding material is adhesively bonded to the contact surface.

10

18. The system of claim 11 wherein the support portion and base portion create an angle of greater than 90 degrees.

15 19. The system of claim 11 wherein the support portion comprises a top cap.

20. The system of claim 11 wherein the support portion comprises a telescoping support portion.